

State of New Hampshire DEPARTMENT OF ENVIRONMENTAL SERVICES

6 Hazen Drive, P.O. Box 95, Concord, NH 03302-0095 (603) 271-2147 FAX (603) 271-6588



LETTER OF COMPLIANCE FOR LETTER OF DEFICIENCY # SP-2004-03

August 04, 2005

Priscilla Field 36 Shore Drive Goffstown, NH 03045

RE: File #2004-00185

Dear Ms. Field:

On July 28, 2005, personnel from the Department of Environmental Services ("DES") conducted an inspection of the above referenced property, more specifically referenced on Town of Goffstown Tax Map 22 as Lot 1B (the "Property"). The purpose of the inspection was to determine compliance with RSA 482-A and applicable rules adopted under that statute, and specifically whether the deficiencies noted in the Letter of Deficiency issued to you on April 27, 2004, have been addressed.

During the inspection and following further review of the file, DES determined the following:

- 1. The boat ramp area had been filled in and the area was presently grassed and stable;
- 2. The previously cut vegetation along the immediate bank on the western side of the property had regenerated from the stumps left in the bank;
- 3. The solid waste located in the area of the boat ramp had been removed and properly disposed of at a licensed solid waste facility;

Please be advised that any proposed future work associated with the removal of vegetation, whether natural, native or non-native should be presented to the DES Wetlands Bureau for review.

As a result of this inspection and file review, it was determined that the deficiencies described in the Letter of Deficiency have been corrected. DES will close its enforcement file regarding the Property at this time. DES reserves the right to reopen this matter should additional information be received regarding additional violations on the Property.

Please be advised that further work under the jurisdiction of the Comprehensive Shoreland Protection Act, or in wetlands, waters of the state, the upland tidal buffer zone, the bank, flat, sand dune, or other areas of jurisdiction of the Department requires a posted, approved permit prior to carrying out such work.

Page 2 of 2 Letter of Compliance LOD # SP-2004-03 August 4, 2005

Thank you for your assistance to bring this matter to a resolution. Should you have any questions, please contact the Wetlands Bureau at (603) 271-2147.

Sincerely,

Compliance Supervisor
DES Wetlands Bureau

cc: Goffstown Conservation Commission Goffstown Board of Selectmen

DES Legal Unit